



smith & hopen, p.a.

180 Pine Avenue North
Oldsmar, Florida 34677
813.925.8505 Tel
813.925.8525 Fax
www.smithhopen.com

RECEIVED
CENTRAL FAX CENTER

MAY 02 2006

Fax

INTELLECTUAL PROPERTY LAW

To:	U.S. Patent & Trademark Office	From:	Ronald E. Smith
Attn:	Theodore J. Stigell, Art Unit: 3763	Client:	1193.02
Fax:	(571) 273-8300	Pages:	13including coversheet
Phone:	(571) 272-8759	Date:	May 2, 2006
Re:	USPN: 10/708,745	CC:	

☐ Urgent ☒ For Review ☐ Please Comment ☐ Please Reply ☐ Please Recycle

Dear Examiner Stigell:

In response to the Final Office Action Summary mailed April 20, 2006, we enclose the following:

- 1) Amendment Transmittal with Certificate of Facsimile Transmission under 37 CFR 1.8(a) dated May 2, 2006 (2 pages); and
- 2) Amendment AF with Certificate of Facsimile Transmission under 37 CFR 1.8(a) dated May 2, 2006 (8 pages).

Very respectfully,

Ronald E. Smith
USPTO Reg. No. 28,761

The documentation accompanying this transmission contains information from the Law Office of Smith & Hopen, P.A., which is confidential and/or privileged. The information is intended only for the use of the individual or entity named on this sheet. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution, or the taking of any action in reliance upon the contents of this telecopied information is strictly prohibited. If you have received this transmission in error, please notify us by telephone immediately, so that we can arrange for the return of the original documents to us at no cost to you.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No. : 10/708,745 Confirmation No.: 2744
Applicant: : Michael E. Nerney
Filed: : 03/23/2004
Art Unit : 3763
Examiner : Theodore J. Stigell

Docket No. : 1193.02
Customer No. : 21901
For : Forward-Mounted Plunger Control for Retrofit
Attachment to an Existing Plunger

RECEIVED
CENTRAL FAX CENTER
MAY 02 2006

Transmitted to Central Fax at (571) 273-8300
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT TRANSMITTAL

1. Transmitted herewith is an amendment for this application.

STATUS

2. Applicants are independent inventors.


EXTENSION OF TERM

3. The proceedings herein are for a patent application and the provisions of 37 C.F.R. 1.136 apply. Applicant believes that no extension of term is required. However, this conditional petition is being made to provide for the possibility that applicant has inadvertently overlooked the need for a petition for extension of time.

**CERTIFICATE OF FACSIMILE TRANSMISSION
(37 C.F.R. 1.10)**

I HEREBY CERTIFY that this Amendment AF, including Introductory Comments, Amendments to the Claims, and Remarks, is being transmitted by facsimile to the United States Patent and Trademark Office, Attn: Mr. Theodore J. Stigell, Art Unit 3763, (571) 273-8300, on May 2, 2006.

Dated: May 2, 2006


April Turley

(Amendment Transmittal - Page 1 of 2)

FEE FOR CLAIMS

4. The fee for claims (37 C.F.R. 1.16(b)-(d)) has been calculated as shown below:

	(Col.1)		(Col.2)	(Col.3)	SMALL ENTITY	
	Claims Remaining After Amendment		Highest No. Previously Paid For	Present Extra	Rate	Addit. Fee
Total	15	Minus	25	= 0	x \$25 =	\$0
Indep.	3	Minus	3	= 0	x \$100 =	\$0
First Presentation of Multiple Dependent Claim					+ \$180 =	\$0
					Total Addit. Fee	\$0

- * If the entry in Col. 1 is less than the entry in Col. 2, write "0" in Col. 3.
 - ** If the "Highest No. Previously Paid For" IN THIS SPACE (Column 2, Row 1) is less than 20, enter "20".
 - *** If the "Highest No. Previously Paid For" IN THIS SPACE (Column 2, Row 2) is less than 3, enter "3".
- The "Highest No. Previously Paid For" (Total or Indep.) is the highest number found in the appropriate box in Col. 1 of a prior amendment or the number of claims originally filed.

No additional fee for claims is required.

Very respectfully,



SIGNATURE OF PRACTITIONER

Reg. No. 28,761
Tel. No.: (813) 925-8505

Ronald E. Smith
Smith & Hopen, P.A.
180 Pine Avenue North
Oldsmar, Florida 34677

(Amendment Transmittal - Page 2 of 2)

MAY 02 2006

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No. : 10/708,745 Confirmation No.: 2744
Applicant: : Michael E. Nerney
Filed: : 03/23/2004
TC/A.U. : 3763
Examiner : Theodore J. Stigell
Docket No. : 1193.02
Customer No. : 21,901
For : Forward-Mounted Plunger Control for Retrofit
Attachment to an Existing Syringe

Faxed to Technology Center 3700 at (571) 273-8300
Mail Stop AF
Hon. Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT AF

Introductory Comments

Sir:

In response to the final Examiner's Action mailed 04/20/2006, having a shortened statutory period for response set to expire 07/20/2006, the above-identified patent application is amended a third time as follows:

Amendments to the Claims are reflected in the listing of claims that begins on page 2 of this paper.

Remarks begin on page 8 of this paper.